

Table 2 - Comparison of auditor's sea lice counts to industry-reported counts during Quarter 3 - 2010

2010 - Quarter 3

	Number of Farms			<i>Lepeophtheirus salmonis</i>				<i>Caligus clemensi</i>			
				All Motile Stages		Adult ♀ (with and without egg strings)		All Motile Stages		Chalimus Stages	
	Audited	Number Operating		Audit	BCSFA Database	Audit	BCSFA Database	Audit	BCSFA Database	Audit	BCSFA Database
Zone/ Subzone 2.3	2	5	Abundance for area	0.18	0.13	0.08	0.07	0.13	0.03	0.01	0.05
			Lower 95% CI		0.07	0.02		0.01	0.01		
			Upper 95% CI		0.19	0.11		0.05	0.08		
Zone/ Subzone 2.4	2	6	Abundance for area	2.88	1.17	0.91	0.48	0.39	0.36	1.45	0.38
			Lower 95% CI		0.64	0.18		-0.03	0.10		
			Upper 95% CI		1.69	0.79		0.74	0.66		
Zone/ Subzone 3.1	0	1	Abundance for area		0.07		0.02		0.03		0
			Lower 95% CI	-	-0.11	-	-0.07	-	-0.04	-	0
			Upper 95% CI		0.26		0.12		0.11	0	
Zone/ Subzone 3.2	4	11	Abundance for area	1.00	1.34	0.38	0.58	0.29	0.49	0.41	0.76
			Lower 95% CI		0.96		0.37		0.26	0.32	
			Upper 95% CI		1.71		0.79		0.72	1.19	
Zone/ Subzone 3.3	4	14	Abundance for area	0.34	0.63	0.09	0.24	0.25	0.11	0.46	0.36
			Lower 95% CI		0.20		0.09		0.03	0.17	
			Upper 95% CI		1.07		0.39		0.18	0.56	
Zone/ Subzone 3.4	2	6	Abundance for area	0.93	0.83	0.10	0.27	0.42	0.62	0.76	1.35
			Lower 95% CI		0.27		-0.03		0.37	0.47	
			Upper 95% CI		1.40		0.57		0.87	2.23	
Zone/ Subzone 3.5	1	3	Abundance for area	8.73	2.48	4.33	1.26	1.27	0.24	0.52	0.94
			Lower 95% CI		0.10		0.06		-0.12	0.22	
			Upper 95% CI		4.86		2.46		0.60	1.66	